

N-STEEL Europe


N-STEEL

The world's local distributor of steel and metal

SHARE TO GET

www.nsteel.eu

- Steel Pipe
- Coils & Sheets
- Pipe Fittings
- Section Steel
- Industrial Valves
- Gas Cylinders



N-STEEL

OUR VALUE & CULTURE

Enterprise Value: Share To Get

Enterprise Culture: Focus, Professional, Reliable

Enterprise Spirit: Integration Of Resources, Global Trade,
Pursuit Of Perfection

Enterprise Vision: To Integrate Global Resources

To Create Convenient One-Stop Shopping
Trade Patterns

To Provide Perfect Products And
Professional Services

To Achieve a Win-Win Cooperation With
Enterprise, Employees, And Partners



www.nsteel.eu

ABOUT US

N-STEEL is a collection of trade, service, business investment in the integration of world-class Chinese comprehensive business organization. It covers energy metal, shipbuilding, steel and products, auto parts, hardware mechanical and electrical, mechanical equipment and machinery, medical care, life suppliers business division and so on.

We set up a long-term partnership with more than 1000 customers and suppliers in more than 40 countries and regions of the world.

Since always, we adhering to the "open and fair, share to get, the pursuit of excellence, and creation of value" values, adhere to the "integrity and efficient, trade-oriented, best way, best value" business philosophy. Together with our all over the world have branches and partners to develop new business areas, maximum common values.


We sincerely welcome and together we share in global resources, opening up new career together with the chapter.



Carbon & Alloy Seamless Steel Pipe

Product	Standard	Grade	OD	THK
Structural tube	ASTM A53	Gr.A	13.7–1200mm	1.5–120mm
	ASME SA53	Gr.B		
	DIN1629	ST37.0,ST44.0,ST52.0		
	EN10210–1	S235JRH,S275JRH,S275J2H,S355J0H, S355J2H,S355K2H		
	DIN2440/2441/ EN10255	S 195T		
	EN10297–1	E235,E275,E315,E355,E470,C22E,C35 E,C45E,C60E,38Mn6, E275K2,E355K2,E420J2,E460K2,E590 K2,E730K2,41Cr4,25CrMo4,30CrMo4,3 4CrMo4,42CrMo4,36CrNiMo8, 41NiCrMo7–3–2		
Tube for liquid service	ASTM A106	Gr.A,Gr.B,Gr.C	10.3–1200mm	1.24–63.5mm
	ASTM A53	Gr.A,Gr.B		
Pipe&tube for Ship building	CCS, DNV,ABS,LR,C CS,BV,KR,NK	Carbon&Carbon–Mangnese	13.7–609.6mm	1.0–36.0mm
Boiler tube	DIN17175,	ST35.8,ST45.8,15Mo3,13CrMo44, 10CrMo910	10.3–711.2mm	1.24–120mm
	ASME SA210	A–1, C		
	SA213	T5,T9,T11,T12,T21,T22,T5b,T9,T91, T92		
	ASME SA106	SA106 B,SA106 C		
	ASME SA333	Gr.1,Gr.6		
	ASME SA335	P11,P12,P22,P5,		
	EN10216–1	P195TR1,P195TR2,P235TR1,P235TR2 ,P265TR1,P265TR2		
	EN10216–2	P195GH,P235GH,P265GH,16Mo3, 13CrMo4–5,10CrMo9–10,20MnNb6		
	JIS G 3461	STB340,STB410		
	ASTM A192	A192		
	ASTM A179	A179		
Tubing & Casing	API 5CT	J55, K55, N80–1, N80–Q, L80–1, L80–13Cr, C90–1~2, P110, Q125–1~3	1.9"–4 1/2"	3.18–16mm
			4 1/2"–20"	5.21–22.22mm
Drill Pipe	API 5D	E75,X95,G105,S135	2 3/8"–6 5/8"	6.45–19.92mm

Line Pipe	API 5L PSL-1/PSL-2	B, X42, X46, X52, X56, X60, X65, X70, X80	10.3–711.2mm	1.24–63.5mm
Mechanical tube	ASTM A519	MT1010, MT1015, MT X1015, MT1020, 1008, 1010, 1020, 1030, 1035, 1040, 1045, 1050, 4130, 4135, 4140, 4145	114.3–711.2mm	6–120mm
	JIS G3445	STKM11A, STKM12A, STKM12B, STKM1 2C, STKM 13A, STKM13B, STKM 13C, STKM 14A, STKM 14B, STKM 14C		
Precision steel tube	DIN2391/ EN10305–1	E215, e235, e355	6–220mm	0.8–25mm
	DIN2391/ EN10305–4	E215, e235, e355		
	ASTM A519	1008, 1010, 1018, 1020, 1026, 1035, 1045, 4130, 4140		
	DIN2393/ EN10305–2	E155, E195, E235, E275, E355		
	ASTM A513	1008, 1010, 1018, 1020, 1026, 1035, 1045, 4130, 4140		
	GOST 8734	10(st37.0), 20(st44.0), 35, 45, 10G2, 15X, 20X, 40X, 30XGCA, 15XM		
	GOST 9567	10, 20, 35, 45, 40X, 30CrCa		



Welded Pipe

PRODUCT	STANDARD	GRADE	OD	THK
ERW PIPE	API SPEC 5L ASTM A53/A53M JIS G3452 JIS G3460	API 5L Gr A/B,X42,X46, X52,X56,X60,X65,X70	21.3~610mm	1.5~14.27mm
LSAW PIPE	ASTM A135, ASTM A 178, ASTM A214 BS 1387	ASTM A53 Gr A/B; ASTM A572 GR50/60/65	406.4~1524.0mm	6.4~54.0mm
SSAW PIPE	ASTM A500 ASTM A554,EN10219, ASTM A-513	ASTM A178 GR A/C/D, ASTM A214	219.1~2540.0mm	6.0~22.0mm
Hot Galvanized Pipe	ASTM A53,JIS G 3442, BS1387/EN10255, DIN2444,JIS H8641, ISO 1461	ASTM A53(A,B),STPG42, Q235, Q345, Q195	21.3mm-219mm	0.4~12.7mm
Outer/Inner Coating	DIN30670,DIN30671, AWWA C 210,etc	2PE /3PE; 2PP/3PP,FBE; Cement mortar	88.9-1820mm	3.0-25.4mm



Galvanize Steel Pipe



ERW Pipe



SSAW Pipe



LSAW Pipe

Steel Square & Rectangular Pipe

PRODUCT	STANDARD	GRADE	OD	THK
Carbon Steel Square Pipe	DIN En10210, DIN 1629 DIN 2458 DIN 2440 DIN 1626 , JIS G3466,BS4360, ASTM A500	ST37,ST44,ST52, S235JR,S345JR, SS400,STK500	20X20~600X600mm	3.0mm~25.4mm
Carbon Steel Rectangular Pipe			30X40~550X600mm	3.0mm~25.4mm



Carbon & Alloy Steel Coil, Plate & Sheet

Hot Rolled Steel Plate & Coil			
Standard	Steel Grade		
EN 10025	S235JR, S275JR		
JIS G3101	SS330, SS400, SS490		
ASTM	A36, A283 Gr C/D, A570 Gr A/D		
GB/T700	Q235B, Q255B		
Assortment	Thickness(mm)	Width(mm)	Length (ID of Coil)(mm)
Plate	3.0-250	700-2000	2000~12000
Coil	3.0-25.0	700-2000	760-70~760+20



Hot Rolled Coil



Steel Plate

Pre-painted Galvanized Steel Coil				
Product	Name	Standards	Size	Steel Grade
Pre-painted Galvanized Steel Coil	ASTM, EN, JIS, etc.	Width: 600MM-1550MM	Thickness: 0.3MM-4.2MM	DX51D, DX52D, etc.

Cold Rolled Steel Coil			
Standard	Steel Grade		
JIS G3141-1996	SPCC, SPCCD, SPCE, SPCEN		
EN 10130-1999	DC01, DC03, DC04, DC05, DC06		
DIN 1623-2-1986	St37-2G, St44-3G, St52-3G		
ASTM A1008-02e1	CS, DS, DDS, EDDS		
Thickness(mm)	Width(mm)	ID of Coil(mm)	
0.30-3.50	700-1800	508 / 610	



PPGI (Colour Coated)



Cold Rolled Coil

Hot Rolled Steel Plate & Coil			
Standard	Steel Grade		
EN 10025	S235JR, S275JR		
JIS G3101	SS330, SS400, SS490		
ASTM	A36, A283 Gr C/D, A570 Gr A/D		
GB/T700	Q235B, Q255B		
Assortment	Thickness(mm)	Width(mm)	Length (ID of Coil)(mm)
Plate	3.0-250	700-2000	2000~12000
Coil	3.0-25.0	700-2000	760-70~760+20



Checkered Plate & Coil

Product Name	Standard	Standard No	Steel Grade	Diameter(mm)
H- Beam	JIS	JIS G3192	SS 400B	100 X50~500X200
Round Bar (Hot Rolled & Forged)	JIS	S 20C, S 45C	S 20C, S 45C	20~800
	ASTM	1020, 1045	1020, 1045	
	DIN	C 22E, C 45E	C 22E, C 45E	
	GB	20#, 45#	20#, 45#	
Deformed Bar	BS	BS 4449- 1997	Grade 460, Grade 500	8~50
	ASTM	ASTM A615/A615M	Grade 300, Grade 420	
		ASTM A616/A616M	Grade 350, Grade 420	
		ASTM A706/A706M	Grade 420	
	GB	GB 1499- 1998	HRB335, HRB400, HRB500	
Wire Rod	JIS	JIS G3505	SWRM 6~ SWRM22	5.5~32
	ASTM	ASTMA510M	SAE 1008, SAE 1010, SAE 1017, SAE 1020	5.5~32
Channel Bar	JIS	JIS G3101	Q235B, SS 400, Q235, Q345, Q345B, ST37- 2, A36, S235JRG A572 Gr.50	75 X 40~300 X 90
	UPN	EN, DIN		80 X 45~220 X 80
Angle Bar	JIS	JIS G3192		25X25~200X200
IPE	DIN, EN ASTM,BS	DIN 1014, ASTM A 6, EN 59, BS 4360		IPE (AA)- 80~270
UPE				UPE 100~UPE 180




H Beam



Round Bar



Deformed Bar



Flat Bar



Wire Rod



Angle Bar

Stainless Steel Seamless Pipe

PRODUCT	STANDARD	GRADE	OD	THK
Heat exchanger & Boiler Tube	ASME SA213/SA213M, ASME SA688/SA688M, ASME SA789/SA789M, ASME SA249/SA249M, JIS G3463; DIN17457, etc.	TP304/304L, TP310/S, TP316/316L, TP317L, TP321, TP347/H, 904L, S31803, S32750, S32760, etc.	12.7mm~88.9mm	0.5~6.35mm
Stainless coil Tube	ASTM A269, ASTM A312, ASTM A789, JIS G4305	304 304H 304L 321 321H 316 316L 316H 317 317L 317LMN 316Ti 347 347H 310S S31803/S32205 S32750/S32507 S32760	6.35~38.1mm	0.89~3.4mm
Stainless pipe for paper plant	ASTMA312/A312M ASTM A789/A789M JIS G3459 JIS G3448 EN 10217-7	TP304, TP304L, TP316L, TP316Ti, TP317L, TP321, TP347H, TP310S	6.0mm~406.4mm	1.0~24.0mm
Stainless pipe for Fluid conveyance	ASTM A312/213/269, ASTM A789/A790, ASTM B677, DIN17458, EN10216-5, etc.	TP304, TP304H, TP304L, TP310/S, TP316L, TP316/316L, TP316Ti, TP317L, TP321/321H, TP410, S31803, S32750, 904L, etc.	6.0mm~610.0mm	1.0~25.4mm
Mechanical stainless steel pipe	ASMEA213, A312, A249, A269, ASME SB 163, SB 167 etc.	TP201, 202, 301, 304, 304L, 310S, 316, 316L, 316Ti, 317, 317L, 321, 347, 347H, etc.	6mm ~ 610mm	0.5mm ~40mm
(Super) Duplex Stainless Steel Tube	ASTM/ASME A789/SA789, A790/SA790, DIN17456 DIN17458 EN10216-5 etc.	UNS S32001, S31500, S32304, S31803 S32205, S32760, S32750 S32507 S32760	6.0mm ~457.2mm	0.89mm ~ 35mm
LPG/LNG Shipping Tube	ASTM A312, ASTM A213, ASTM A269, ASTM A511 JIS G3459, JIS G3463 DIN17456, DIN17458 EN10216-5, etc.	ASTM TP 304, 304L, 316, 316L, 317, 317L, 310S, 321, 347H, 316Ti, S31803, S32205, S32750, S32760	6.0mm~323.8mm	0.5mm~ 25mm
Bright annealed seamless precision Tube	ASTM A312/A269/A249, etc.	ASTM TP304/TP304L/TP316L /TP321/301/201/202	3.0~57mm	0.25~4mm



Stainless Steel Heat Exchanger



Fluid conveyance Tube



LPG/LNG Shipping Tube



Stainless Steel Boiler Tube



Mechanical stainless steel pipe

Stainless Steel Welded Pipe

PRODUCT	STANDARD	GRADE	OD	THK
Heat exchanger & Boiler tube	ASTM A249,ASTM A312,ASTM A789,ASTM A790,ASTM A720 JIS G 3463,JIS G3459	TP304/304L, TP310/S, TP316/316L,TP317L, TP321, TP347/H, 904L ,S31803,S32750, S32760, etc.	12.7mm~76.2mm	0.5~4.0mm
Stainless pipe for Paper plant	ASTMA312/A312M ASTM A789/A789M JIS G3459 JIS G3448EN 10217-7	TP304,TP304L,TP316L,TP316Ti, TP317L,TP321,TP347H,TP310S	21.0mm~2540mm	0.5~25.4mm
Pipe for fluid conveyance	ASTM A312/213/269, ASTM A789/A790, ASTM B677, DIN17458, EN10216-5 , etc.	TP304, TP304H, TP304L, TP310/S, TP316L, TP316/316L, TP316Ti, TP317L,TP321/321H, TP410, S31803, S32750, 904L, etc.	21.0mm~2540mm	0.5~25.4mm
Duplex stainless steel tube	ASTM A249,ASTM A312, ASTM A789,ASTM A790, ASTM A720 JIS G 3463, JIS G3459	UNS S32750,UNS S31803,UNS S32205 , etc.	6mm ~ 610mm	1.0mm - 12.7mm
Sanitary food stainless pipe	ISO2037,ASTM A270,ASTM A270,DIN11850,IDF,JIS G3459,JIS G3447,etc.	ASTM TP 304.304L,316.316L,	6.0mm~273.0mm	0.8mm~3mm
Strinking thin water pipe	DIN EN10312,JIS G3448, ASTM A554, A249, A269 And A270	TP304,TP316L	6.0mm~273.0mm	0.8mm~4mm
General industry pipe	ASTM A554,A312, JIS G3459,JIS G3446	TP304, TP304H, TP304L, TP310/S, TP316L, TP316/316L, TP316Ti, TP317L,TP321/321H, TP410, S31803, S32750, 904L, etc.	6.0mm~457.2mm	0.25mm~6.35mm
Stainless steel square tube	ASTM A554,JIS G3446	SUS304、 301、 316、 316L、 321、 202、 201、 Cr25Ni20Si2S、 409L、 INONY601、 310S(2520)	4.0X4.0mm~ 400X400mm	0.25mm~8.0mm
Stainless steel rectangular tube	ASTM A554,JIS G3446	SUS304、 301、 316、 316L、 321、 202、 201、 Cr25Ni20Si2S、 409L、 INONY601、 310S(2520)	6.0X4.0mm~ 400X200mm	0.25mm~8.0mm



Stainless steel Welded Pipe



Food Grade Stainless Steel Tube

Heat Exchanger & Boiler Tube
For Fluid conveyance
Duplex Stainless Steel Tube
Sanitary Food stainless Pipe
General Industry Pipe
Stainless Steel Square Tube


Stainless Coil, Plate & Sheet

Stainless Steel Coil					
Product Name	Standards	Size		Surface	Steel Grade
Stainless Steel Hot Rolled Coil	ASTM, AISI, EN, JIS, GB etc.	Width: 500MM-2000MM	Thickness: 3MM-15MM	NO. 1	201/202; 304J1;304(L) 310S/316(L)/ 317L/321/ 904L;/409L/ 410/410s/420J2/430/ 436L/443/444 etc
Stainless Steel Cold Rolled Coil	ASTM, AISI, EN, JIS, GB etc.	Width: 50MM- 2000MM	Thickness: 0.3MM-6.0MM	2B, BA, 2D, No.4	

Stainless Steel Plate/ Sheet					
Product Name	Standards	Size		Surface Finish	Steel Grade
Stainless Steel Hot Rolled Plate	ASTM, AISI, EN, JIS, GB etc.	Width: 200MM-2000MM	Thickness: 3MM-100MM	NO. 1	201/202; 304J1; 304(L)310S/316(L)/ 317L/321/ 904L;/ 409L/410/ 410s/420J2/430/ 436L/443/444 etc
Stainless Steel Cold Rolled Sheet	ASTM, AISI, EN, JIS, GB etc.	Width: 50MM- 2000MM	Thickness: 0.3MM-3MM	2D,2B,BA, NO.3, NO.4, HL, SB,8K	



▶ Stainless Steel Coil



Stainless Steel Sheet ◀



▶ Stainless Steel Plate

Stainless Steel Section Steel

Stainless Steel Section Steel Product List			
Product Name	Standards	Size	Steel Grade
Stainless Steel Round Bar	ASTM, DIN, JIS, GB, etc.	3MM-400MM	201, 202, 303, 303Cu, 304/304L, 308, 308L, 309, 309L, 310, 316/316L, 317/317L, 329, 347, 409, 410, 430, 416, 630, 631, 2205 etc.
Stainless Steel Hex Bar	ASTM, DIN, JIS, GB, etc.	4.76MM-76.2MM	
Stainless Steel Square Bar	ASTM, DIN, JIS, GB, etc.	4.76MM-76.2MM	
Stainless Steel Flat Steel	ASTM, DIN, JIS, GB, etc.	W: 25~120MM T: 3~12MM	
Stainless Steel Wire Rod	ASTM, DIN, JIS, GB, etc.	5.5MM~18MM	
Stainless Steel Angle Bar	ASTM A 276/A 484/A 582	4*4~100*100MM	303, 303Cu, 304/304L, 316/316L, 317/317L, 409, 410, 430, 416, etc.
Stainless Steel Channel Bar	ASTM A 276/A 484/A 582	H: 50~270MM W: 25~100MM T: 3~12MM	
Stainless Steel Strip	ASTM, DIN, JIS, GB, etc.	W: 30-550MM T: 0.15-3.00MM	

Remarks:


1. The steel bar can be cold drawn, hot rolled, and hot forged
2. The surface of the stainless steel bar can be black and bright.
3. The bright surface can be CD & PL



Stainless Steel Round Bar



Stainless Steel Flat Steel



Stainless Steel Hex Bar



Stainless Steel Angle Bar



Stainless Steel Strip



Stainless Steel Wire Rod

Pipe Fitting

Butt Welded Seamless Pipe Fittings			
Products	Description	Material	Standard
LR/SR Elbow Reducer/Equal Tee Con/Ecc Reducer Bend, Return Crosses Caps	OD: 1/2" - 48" THK: SCH5 S to SCH160, XX S	Stainless Steel Carbon Steel Aluminum Alloy Steel CU/Ni Alloy NACE MR 0 175	ANSI B 16.9 /B16.28 DIN 2605 ,DIN2615 DIN2616, DIN 2617 DIN 86088 /86089/86090 EN10253 JIS B2313
Socket Welded/Threaded Fittings			
Elbow, Tee, Nipples, Unions, Couplings Plug, Bushing, Olet	OD : 1/8" - 4" 3000LB to 9 000LB	Stainless Steel Carbon Steel Alloy Steel	ANSI B 16.1 1 MSS SP 97 BS 3799



Carbon Steel Pipe Fitting



Stainless Steel Pipe Fitting



Alloy Steel Pipe Fitting



CU-NI Pipe fitting



Aluminum pipe Fitting



Forged Pipe Fitting

Steel Flange

Product Type	Product Range	Main Material	Standard
WN/SO/BL/ Flange PL/SW/THD Flange Lap Joint Flange Orifice Flange Spacer & Blank Disc & Ring,etc.	OD :1/2"-125" 150LB--2500LB PN6-PN160	Stainless Steel Carbon Steel Aluminum Alloy Steel CU/NI Alloy NACE MR 0175	ANSI 16.5/16.47/16.48 MSS SP44,AWWAc207 API 590 ,API 605, API 6A DIN standard KS B 1522 / 1541 / 1543 BS4504,EN1092-1 JIS B2220/KS B1503 JIS B 2311 / 2312 / 1213



Carbon Steel Flange



Stainless Steel Flange



Wind power flange



Disc & Ring



Alloy Steel Flange



Semi-finished Flange



N-STEEL Europe

Korea, China, Brazil, Europe, Iran, Saudi Arabia

Specail Steel Product

Nickel Alloy :

Nickel 200 (UNS No. N02200), Nickel 201 (UNS No. N02201),
Monel 400 (UNS No. N04400), Monel 500 (UNS No. N05500),
Inconel 800 (UNS No. N08800), Inconel 825 (UNS No. N08825),
Inconel 600 (UNS No. N06600), Inconel 625 (UNS No. N06625),
Inconel 601 (UNS No. N06601),
Hastelloy C 276 (UNS No. N10276), Hastelloy 904
Alloy 20 (UNS No. N08020), Monel 400 & 500

Copper Alloy :

UNS No. C 10100, 10200, 10300, 10800, 12000, 12200, 70600, 71500,
UNS No. C 70600 (Cu -Ni- 90/10), C 71500 (Cu -Ni- 70/30)

Titanium :

Titanium (Grade I & II)


UNS	Trade names	Wire	Bar	Sheet	Plate	Tube	Pipe	Fitting	Flange	Forging	Rod
N02200	Nickel 200	*	*	*	*	*	*	*	*	*	*
N02201	Nickel 201	*		*	*	*	*	*	*	*	*
N04400	Monel 400	*	*	*	*	*	*	*	*	*	*
N05500	Monel K500	*	*						*	*	*
N06600	Inconel 600	*	*	*	*		*	*	*	*	*
N06625	Inconel 625	*	*	*	*	*	*	*	*	*	*
N08810	Incoloy 800/H/HT	*	*	*	*	*	*	*	*	*	*
N08825	Incoloy 825	*	*	*	*	*	*	*	*	*	*
N06022	Hastelloy C22	*	*	*	*	*	*	*	*	*	*
N10276	Hastelloy C276	*	*	*	*	*	*	*	*	*	*
N10665	Hastelloy B-2	*	*	*	*				*	*	*



Fin Tube



Round Bar



Inconel Pipe



Titanium Tube



Aluminium Sheet



Cu- Ni Tube

Industry Valves

Products	Size & Class	Main Material	Design Standard	Connection	Medium
Gate Valve Globe Valve Ball Valve Butterfly Valve Check Valve etc.	Size 1/2"-100" DN15-DN2500 Class 150-2500Lb	A216 WCB A351 CF8M A217 WC9 A182 F316 A182 F304 A105 GGG40 EPDM PTFE etc.	API600 API6D ANSI B16.34 ANSI B 16.35a AWWA C504 BS5351 DIN3202 etc.	Flange Welding Thread Wafer	Water Gas Oil etc.



Gate Valve



Globe Valve



Butterfly Valve



Swing Check Valve



Ball valve



Wafer Check Valve

Industrial Gas Cylinder & CNG Cylinder

Gas Type: Oxygen, Argon, Hydrogen, carbon dioxide etc

OD: 108mm, 140mm, 180mm, 219mm, 232mm, 267mm

Water Capacity: 2L–80L

Material: 34CrMo4, 34MnV2, 37Mn,

Standard: ISO 9809, EN1964, DOT 3AA, GB5099 etc

We have more than twenty international approvals, including the US DOT approval, Germany TUV approval, ISO approval. Our products have been exported to more than 40 countries with great reputation.

Type	Outside Diameter (mm)	Water Capacity (L)	Height (without valve) (mm)	Weight (without valve) (Kg)	Service Pressure (Mpa)	Wall of thickness(mm)	Material
CNP25-80-279A	279	80	1700	98	10~20	8.2	34CrMo4 34MnV2 37Mn
CNP25-90-279A		90	1912	110			
WMA219-25-15	219	25	870	22		5.7	
WMA219-32-15		32	1080	40			
WMA219-36-15		36	1200	44			
WMA219-38-15		38	1260	46			
WMA219-40-15		40	1320	48			
WMA219-47-15		47	1570	65			
WMA219-50-15		50	1620	68			
WZA232-35-15	232	35	1050	39		5.4	
WZA232-38-15		38	1140	42			
WZA232-40-15		40	1200	44			
WZA232-43-15		43	1270	47			
WZA232-45-15		45	1320	49			
WZA232-47-15		47	1370	51			
WZA232-50-15		50	1450	54			



Korea, China, Brazil, Europe, Iran, Saudi Arabia





N-STEEL

The world's local distributor of steel and metal

Contact N-STEEL: info@nsteel.eu

N-STEEL.Korea,

Add:KNNTOWER805,30CentumSe-ro,Busan,Korea
TEL.+82-51-664 812 FAX.+82-51-980 178

N-STEEL.China,

Add:Room1210No.1BuildingZhonghuanBinjiangDasha
2742LanePudongAvenueShanghai200136P.R.CHINA
Tel:+86-21-685 8020 Fax:+86-21-685 8030

N-STEEL.Brazil,

Rua Eleonora Cintra 1060, A 35. Tatuapé .
ZIP:03337-000. São Paulo/SP - Brazil
Tel:+55-11-242 3948

N-STEEL Europe s.r.o.

Dubová 4 1,90027 Bernolákovo
Slovakia, Europe
web: www.nsteel.eu
email: info@nsteel.eu
sales@nsteel.eu

mobil: +421915784692
+421904455310



www.nsteel.eu

N-STEEL.Iran

U.6- No.22, Bakhshayesh St, West Sarv Ave,
Sadat Abad, Tehran,Iran
Tel:+98-21-223 3122-33
Fax:+98-21-221 9856

N-STEEL.Saudi Arabia

Add : Jeddah Kilo2, Jamil Trading Center
1st Floor Office No 1 Bldg No5
Tel:+966-- 263 3947
Fax:+966- - 263 4832

恩

